



# STANDARD SHANK ROUTERS



Feel Better

Be Better

Cutting & Better

## PCD SHANK CUTTER



D mm	CL mm	S mm	L mm	Z	RTN	Item No.
10	10	12	75	1+1 PCD	RH	W92101012011
10	25	12	75	1+1 PCD	RH	W92102512011
10	25	12.7	75	1+1 PCD	RH	W921025127011
12	10	12	75	1+1 PCD	RH	W92121012011
12	15	12	75	1+1 PCD	RH	W92121512011
12	25	12	75	1+1	RH	W92122512010
12	25	12	75	1+1 PCD	RH	W92122512011
12.7	25	12.7	75	1+1	RH	W92132513010
14	26	25	90	1+1	RH	W92142625010
16	25	16	90	2+1 PCD	RH	W92162516121
16	25	16	90	2+2 PCD	RH	W92162516021
16	35	16	95	1+1	RH	W92163516010
16	35	25	95	1+1	RH	W92163525010
18	35	25	105	1+1	RH	W92183525010
18	38	20	98	2+2	RH	W92183820020
20	38	20	115	2+2	RH	W92203820020
20	38	20	115	3+1 PCD	RH	W92203820031
20	38	25	115	3+1 PCD	RH	W92203825031X
25	38	25	115	3+1 PCD	RH	W92253825031

➤ X = Spiral Positive

## CARBIDE / SOLID CARBIDE SHANK CUTTER



D mm	CL mm	Shank mm	TL mm	Z	Description	Item No.
6.0	25	12	70	2	Carbide Shank Router	W95625122
8.0	25	12		2	Carbide Shank Router	W95825122
10.0	30	12	70	2	Carbide Shank Router	W951030122
12.0	30	12	70	2	Carbide Shank Router	W951230122
12.7	30	12.7	70	2	Carbide Shank Router	W95127301272
16.0	30	12	75	2	Carbide Shank Router	W951630122
25.4	32	12.7	75	2	Carbide Shank Router	W952532122
2.0	12	12	85	2 [SC]	Solid Carbide Shank Router	W860212121
3.0	15	12	70	2 [SC]	Solid Carbide Shank Router	W95315122
4.0	15	12	70	2 [SC]	Solid Carbide Shank Router	W95415122
4.0	20	12	75	2 [SC]	Solid Carbide Shank Router	W95420122
5.2	13	12	70	2 [SC]	Solid Carbide Shank Router	W955213122
6.0	20	12	70	2 [SC]	Solid Carbide Shank Router	W95620122
6.2	20	12	75	2 [SC]	Solid Carbide Shank Router	W956220122
8.0	25	12	80	2 [SC]	Solid Carbide Shank Router	W95825122X
9.0	25	12	85	2 [SC]	Solid Carbide Shank Router	W95925122
16.0	50	16	100	3 [SC]	Solid Carbide Spiral Roughing Router	W951650163